

LINE MACHINE 2241



Line machine 2241 is a hydraulic powered drum winch. It has variable pulling force and reel speed control. The machine is fitted with a negative action brake, which automatically applies when drum movement is stopped. It is equipped with independent hydraulic legs to either side of the machine, which allows full levelling to be carried out. The jockey wheel at the towing end of the machine is both adjustable and robust in design. The machine is built with road suspension and is fitted with both overrun and parking brakes.

BASIC EQUIPMENT

Engine: 4-stroke petrol engine 22 hp electric start
Gearbox
Dynamometer
Variable pulling speed
Variable pulling force
Shaft for wooden drums
Suspension
Hydraulic support legs

Art no: 2241-0000 (drums & line spreader not incl).

TECHNICAL DATA

Pulling force: 3000 kp.
Pulling speed: 100 m/min

Drum size: K 16

Dimensions: L: 3200 mm
W: 2350 mm
H: 1050 mm
Weight: 700 kg



The machine can be equipped with pilot rope drums 3x1500m. Art.no. 2200-0030 + 7512-101500 x3

Single (Art.no. 2200-0140) -or multiple (Art.no 2200-0150) split drums is available.

Special drums for longer lengths of pilot rope can be produced upon request.

As standard the machine is equipped with a shaft for wooden drums (max. dia 1,6 m).



The power comes from petrol driven hydraulic power pack, with built-in cooling fan to guarantee safe and long working time.



All controls are concentrated on the left side of the machine.

Indicator (dynamometer) for pulling force is located under the hydraulic controls.

